



Anti Crack Reinforcement
 6 No. H12 Bars x 900mm long
 3 No. Top & 3 No. Bottom

1 Corner of Slab Plan View
 Scale: 1:10



Part of the DB Group

Revision History

DATE	DESCRIPTION	REV.	DES.	Q.C.
18/12/19	First issue.	-	LD	LL

DB Group (Holdings) Ltd
 Wellington Way, Bourn Airfield
 Cambridge, CB23 2TQ
 Tel: +44 (0)1954 780687 Email: sales@pudlo.com
 www.dbgholdings.com/pudlo

DRAWING TITLE SLAB ANTI-CRACK REINFORCEMENT DETAIL	PROJECT -
STATUS FOR INFO	SCALE as shown on A4
DRAWING NUMBER PUDLO-TJD-P2.5-SS-043	REVISION - SHEET No. 1 of 1
CLIENT	

COPYRIGHT: Not to be reproduced
 without written permission

A4

PUDLO/DB Group
 STD Jan 2019 v1

Note:-

This PUDLO detail is to assist with the installation of its products. The detail shows how PUDLO 2.5 Modified Concrete and how PUDLO ancillaries are to be installed. For site specific details and confirmation on extent of where PUDLO 2.5 Modified Concrete is used i.e. Overlay drawings, must be confirmed by structural engineers/contractor. Individual/Company responsibility for design of the structure must ensure that details shown on PUDLO drawings match the latest construction issue drawings.

The information shown on this detail is given without obligation, or warranty PRIOR to consultation or communication with PUDLO/DB Group Ltd.