



Part of the DB Group

Revision History

DATE	DESCRIPTION	REV.	DES.	Q.C.
05/02/20	PUDLO Render Seal shown, updated to January 2019 design standards.	B	LD	LL
18/09/18	Updated to September 2018 design standard.	A	LD	LL
27/06/18	First issue.	-	LD	LL

DB Group (Holdings) Ltd Wellington Way, Bourn Airfield Cambridge, CB23 2TQ Tel: +44 (0)1954 780687 Email: sales@pudlo.com www.dbgholdings.com/pudlo		
DRAWING TITLE	PROJECT	
SECANT PILE TO LINER WALL DETAIL	-	
STATUS	SCALE	
FOR INFO	1:5 on A3	
DRAWING NUMBER	REVISION	SHEET No.
PUDLO-TJD-BW-SS-042	-	1 of 1
CLIENT		

Note:-

This PUDLO detail is to assist with the installation of its products. The detail shows how PUDLO CWP Modified Concrete and how PUDLO ancillaries are to be installed. For site specific details and confirmation on extent of where PUDLO CWP Modified Concrete is used i.e. Overlay drawings, must be confirmed by structural engineers/contractor. Individual/Company responsibility for design of the structure must ensure that details shown on PUDLO drawings match the latest construction issue drawings.

The information shown on this detail is given without obligation, or warranty PRIOR to consultation or communication with PUDLO/DB Group Ltd.

COPYRIGHT: Not to be reproduced without written permission

A3

PUDLO/DB Group
STD Jan 2019 v1